



SeaWind III

Reference# 85533-11250L

SeaWind III - flexible and ergonomic

Comfortable suit for demanding conditions. Designed with focus on ergonomics, weight and comfort without compromise. SeaWind has been certified according to SOLAS-, ISO- and EASA-requirements (triple certified). As such it has been approved for most any demanding work situation. No other survival suit can claim to be suitable for such a wide range of applications as the SeaWind concept. The suit is approved for work, shipping and helicopter transport. To achieve the helicopter transport approval, the suit is fitted with a thermal lining, and it must be worn with a SeaLion Europe or Halo passenger lifejackets.

Its many details, great flexibility and wide range of applications makes this Norwegian made suit from Hansen Protection the first choice for many occupational groups and professionals, not least for use in the demanding conditions that is part of the service and maintenance of wind turbines and offshore oil & gas installations.

Facts

- Ergonomic – Y-construction with maximum freedom of movement
- Breathability – durable fabrics with highly breathable properties
- Lightweight – made as a shell suit to reduce weight
- Ventilation – adjustable neck-seal to enhance ventilation in non-exposed situations
- Hood on left shoulder
- Pockets - roomy pockets
- For seamless integration with safety equipment such as harness and/or life-jacket, the suit is “clean” on both chest and back
- Diagonal front zip in soft PU
- Cuff-cover over sleeve seals
- Boot gaiter on lower legs with roomy pockets
- Pockets – roomy pockets constructed with mesh to enhance the breathable properties of the fabric, placed to ensure ease of access
- Must be used with a lifejacket approved for the user area
- For easy integration with safety equipment such as harness and/or lifejacket, the suit is “clean” on both chest and back
- This multi-approved suit is accepted for use in all relevant user areas ranging from near shore via shipping and offshore to helicopter transfer of personnel over open sea
- Thermal protection is ranging from one hour protection in cold water to 6 hours with or without thermal lining

Product Detail

Area of application	<i>Multi-purpose</i>
Type of suit	<i>Helicopter passenger transport suit</i>
Material	<i>GoreTex Pazifik 3L</i>
Lining	<i>Yes, thermal insulation short (zip-in)</i>
Main zipper type	<i>Soft PU/plastic with teeth, closed - 1 zipper puller</i>
Neck seal	<i>Neoprene adjustable</i>
Wrist seals	<i>Neoprene, with protective outer cuffs</i>
Fit / Ergonomics	<i>Articulated knees Ergonomic Sleeves constructed in Y-shape for mobility</i>
Colour	<i>Orange</i>
Reflective material	<i>IMO Solas</i>
Pockets	<i>Pocket(s) on lower leg Pocket for ID-card, in transparent PVC Sleeve pockets</i>
Hood	<i>Neoprene, - in upper sleeve pocket</i>
Gloves	<i>5-finger neoprene in sleeve pocket</i>
Attachment for accessories	<i>Velcro for name-tag/other ID</i>
Boots / socks	<i>Socks</i>
Boot gaitor	<i>Yes, with room for knee pad</i>
Reinforcement knee	<i>Additional layer of reinforcement material</i>
Braces (elastic adjustable)	<i>Yes</i>
Ventilation	<i>Automatic air release valve</i>
Compatibility	<i>Yes, ETSO with ETSO lifejacket Yes, IMO with IMO lifejacket Yes, ISO with ISO lifejacket</i>
Thermal protection with lining/inherent insulation	<i>4 hours (ISO 2012 Class B less than 2°C watertemp)</i>
Thermal protection without lining/inherent insulation	<i>1 hour (IMO/Solas less than 5°C watertemp) 1 hour (ISO 2002 Class D less than 5°C watertemp) 2 hours (ISO 2012 Class D less than 10°C watertemp)</i>
Service interval (standard)	<i>1 year (ETSO personal suit) 3 year (IMO/Solas)</i>
Certifications ETSO	<i>ETSO 2C503 (Helicopter flight suit)</i>
Certifications SOLAS-suit (w/o integral buoyancy)	<i>Solas MED/1.5a (without inherent insulation) Solas MED/1.5b (with inherent insulation)</i>
Certifications ISO	<i>ISO 15027-1 Constant wear suit, thermal class B ISO 15027-1 Constant wear suit, thermal class D</i>

Certificates

ISO15027
Class A, B, D

ETSO

SOLAS
uninsulated

SOLAS
insulated

Red En
Insula

Contact us

Hansen Protection AS, PB. 218, N-1501 Moss

Tel. +47 69 00 13 00, e-post: hpro@hansenprotection.no